



K140SE - K140 K141SE - K141 - K142 - K143

Gru idrauliche

Hydraulic cranes

Hydraulische Kräne

Grues hydrauliques

Grúas hidráulicas



SE= Semplice effetto

SE= Single action pump

SE= Einfachwirkende Pumpe

SE= Pompe simple effet

SE= Acción simple

K141SE

Valvola limitatrice di carico • Comando tipo uomo presente • Stelo cromato

Overload safety-valve • Dead man controls • Chromium plated rod

Überlastsicherung • Totmann-Senkventil • Verchromte Kolbenstange


Sécurité hydraulique en cas de surcharge • Commande de type "homme mort" • Tige chromée

Válvula limitadora de carga • Mando de tipo hombre presente • Vástago cromado

K140SE - K140

K141SE - K141 - K142 - K143

500-2000 kg



Dati tecnici

Technical data

Technische Eigenschaften

Caractéristiques techniques

Datos técnicos

	K140 K140SE	K141 K141/SE	K142	K143
A	1620	1750	1840	1990
B	1350	1560	1790	1970
C	1300	1550	1850	1970
D	1000	1250	1400	1520
E	160	165	195	220
F	520	620	430	520
G	730	800	720	800
H	2200	2520	2820	2930
I	2400	2750	3220	3270
L	780	920	880	980
M	900	1050	1050	1120
N	640	750	1000	1100
kg	65	100	180	220



Kg


	1	2	3	4
1	500	1000	1500	2000
2	400	800	1200	1500
3	350	650	800	1000
4	250	450	500	600



-  Gru idrauliche serie pesante, doppio effetto
-  **Heavy duty hydraulic cranes, double acting**
-  Hydraulische Kräne, doppeltwirkend, schwere Serie
-  Grues hydrauliques série renforcée, double effet
-  Grúas hidráulicas serie pesada, doble acción



-  Pompa a doppio effetto • Valvola limitatrice di carico • Comando tipo uomo presente • Stelo cromato
-  **Double acting pump • Overload safety-valve • Dead man controls • Chromium plated rod**
-  Doppeltwirkende Pumpe • Überlastsicherung • Totmann-Senkventil • Verchromte Kolbenstange
-  Pompe double effet • Sécurité hydraulique en cas de surcharge • Commande de type "homme mort" • Tige chromée
-  Bomba de doble acción • Válvula limitadora de carga • Mando de tipo hombre presente • Vástago cromado



Dati tecnici

Technical data

Technische Eigenschaften

Caractéristiques techniques

Datos técnicos

K106

A	2000
B	1970
C	1950
D	1500
E	220
F	530
G	810
H	2930
I	3280
L	1150
M	1350
N	1340
kg	300



Kg

1	2000
2	1500
3	1000
4	600




K107 - K107SE K107LP - K107SE/LPG - K108 K108SE - K108LP - K108SE/LPG

- Gru idrauliche pieghevoli
- Hydraulic folding cranes
- Hydraulischer, klappbarer Kran
- Grues hydrauliques pliable
- Grúas hidráulica plegable




G - version

B
Ribassato
Low profile
Tiefgesetzt
Surbaisse
Perfil bajo



K586 - K587 - K586G - K587G
Semplice effetto
Single action pump
Einfachwirkende Pumpe
Pompe simple effet
Acción simple



G
Pompa pivottante
Pivoting pump
Drehbar gelagerte Pumpe
Pompe pivotante
Bomba pivotante

- Valvola limitatrice di carico • Comando tipo uomo presente • Comando di discesa proporzionale • Stelo cromato
- Overload safety-valve • Feet guards • Proportional lowering control • Chromium plated rod
- Überlastventil • Totmann-Senksteuerung • Proportionale Senksteuerung • Verchromte Kolbenstange
- Sécurité hydraulique en cas de surcharge • Commande de type "homme mort" • Commande de descente proportionnelle • Tige chromée
- Válvula limitadora de carga • Mando de tipo hombre presente • Mando de descenso proporcional • Vástago cromado

K107 - K107SE K107LP - K107SE/LPG - K108 K108SE - K108LP - K108SE/LPG

500-1000 kg

Modello Model Modell Modèle Modelo	Con pompa a semplice effetto With single action pump Mit einfachwirkender Pumpe Avec pompe simple effect Con bomba de acción simple	Con pompa a doppio effetto With double action pump Mit doppeltwirkender Pumpe Avec pompe double effect Con bomba de doble acción	Basso profilo (gambe) Low profile (legs) Niedrige Bauhöhe (Beine) Profil surbaissé (pieds) Perfil bajo (patas)	Pompa pivotante Pivoting pump Drehbar gelagerte Pumpe Pompe pivotante Bomba pivotante	Portata Capacity Tragkraft Capacité Capacidad de carga
K107		X			500 Kg
K107SE	X				500 Kg
K107LP		X	X		500 Kg
K107SE/LP G	X		X	X	500 Kg
K108		X			1000 Kg
K108SE	X				1000 Kg
K108LP		X	X		1000 Kg
K108SE/LP G	X		X	X	1000 Kg



Dati tecnici


Technical data

Technische Eigenschaften

Caractéristiques techniques

Datos técnicos

	K107 K107SE	K108 K108SE	K107LP K107SE/LPG	K108LP K108SE/LPG
A	1600	1650	1560	1590
B	1540	1560	1460	1490
C	1200	1380	1200	1380
D	900	1080	900	1080
E	140	165	85	85
F	330	470	390	480
H	1940	2220	1870	2150
I	2070	2400	2010	2350
L	720	835	660	710
M	885	1000	870	960
N	440	550	450	560
kg	80	110	85	117



Kg

	1	2	3	4
1	500	1000	500	1000
2	400	800	400	800
3	350	650	350	650
4	250	450	250	450

